INDEX TO
EXPERIMENTAL MECHANICS
Volume 25, 1985

Title Index

Analysis of Dynamic Mixed-Mode Isochromatics — M. Ramulu, A.S. Kobayashi and D.B. Barker, 344-353 (Dec.).
Analysis of Residual Stresses in Cylindrically Anisotropic Materials — G.Z. Voyiadjis, P.D. Kiousis and C.S. Hartley, 145-147 (June).
Application of an Advanced XRD Instrument for Surface Stress-Tensor Measurements on Steel Sheets — C.O. Ruud and P.C. Chen, 245-250 (Sept.).
Applications of Digital-Image-Correlation Techniques to Experimental Mechanics — T.C. Chu, W.F. Ranson, M.A. Sutton and W.H. Peters, 232-244 (Sept.).
Biaxial Testing of Composite Tubes — G.R. Toombes, S.R. Swanson and D.S. Cairns, 186-192 (June).
Buckling Behavior of an Underwater Storage Vessel — R. Royles and J.M. Llambias, 421-428 (Dec.).
Comparative Holographic Interferometry: A Nondestructive Inspection System for Detection of Flaws — P.K. Rastogi, 325-337 (Dec.).
Comparison of Three Residual-Stress Measurement Methods on a Mild Steel Bar — C.O. Ruud, P.S. DiMascio and J.J. Yavelak, 338-343 (Dec.).
Crack Propagation in Layered Plates—An Experimental Study — P.S. Theocaris and H.G. Georgiadis, 85-94 (March).
Deformation and Strain Analysis for High-Extrusion Ratios and Evaluated Temperatures — D.G. Berghaus and H.B. Peacock, 301-307 (Sept.). Errata — 415 (Dec.).
Determination of Residual-Stress Variation with Depth by the Hole-Drilling Method — M.T. Flaman and B.H. Manning, 205-207 (Sept.).
Determining K and Related Stress-Field Parameters from Displacement Fields — D.B. Barker, R.J. Sanford and R. Chona, 399-407 (Dec.).
Direct Determination of Curvatures of Bent Plates Using a Double-Glass-Plate Shearing Interferometer — G. Subramanian and S.M. Nair, 376-380 (Dec.).
Direct Method to Evaluate Hole-Alignment Error in Residual-Stress Measurement, A — A.K. Tieu, 43-47 (March).
Dispersive Bending Waves in Uniform Bars — A.K. Roy and R. Plunkett, 308-311 (Sept.).
Displacement Sensitivity in Remote-Objective-Speckle Metrology — T.D. Dudderar, J.A. Gilbert, J.H. Bennewitz and M.A. Taher, 392-398 (Dec.).
Dynamic Moiré Measurement of Strains Induced in a Titanium Plate During the Rolling of a Series of Tubes — C.A. Walker, A. McDonach, P. MacKenzie and J. McKelvie, 1-6 (March).
Dynamic Stress-Concentration Effects on Stress Waves in Composite Models with Different Fiber-End Geometries — H. Pih, Q. Bi, Y.Y. Chen and P. Ye, 214-225 (Sept.).
Embedded Fine-Grid Method Applied to Three-Dimensional Stress-Intensity-Factor Analysis — M. Obata and H. Shimada, 6-11 (March).
Estimation of Thermal Stresses in the Region with an Eccentric Hole by Means of an Analogy — E. Matsumoto, T. Sekiya, Y.C. Wang and K. Kawauchi, 251-254 (Sept.).
Evaluation of Fatigue Strength of Welded Structures by Local Strain Measurements — B. Atzori, B. Blasi and C. Pappalettere, 129-139 (June).
Experimental Analysis of Displacements of Read/Write Heads Upon Floppy-Disk Media — C.M. Vickery, J.K. Good and R.L. Lowery, 200-204 (June).
Experimental Evaluation of Through-Thickness Stresses in a Welded Pipe Using the Consistent-Splitting Model — J.R. Shadley and E.F. Rybicki, 115-122 (June).
Experimental Fracture Analysis—Examples of Work at IWM, Freiburg — E. Sommer, 381-391 (Dec.).
Further Studies on Crack-Tip Plasticity of Rapid Tearing — O.S. Lee, A.S. Kobayashi and A. Komine, 66-74 (March).
Further Study on the Use of Foil Strain Gages Under Extremely High-Pressure Water Environment — A.S. Khan and J.-C. Chen, 123-128 (June).
Governing Equations for Moiré Interferometry and Their Identity to Equations of Geometrical Moiré, The — A. Livnat and D. Post, 360-366 (Dec.).
Holo-interferometric Measurement of the Thermal Deformation Response to Power Dissipation in Multilayer Printed Wiring Boards — T.D. Dudderar, P.M. Hall and J.A. Gilbert, 95-104 (March).
Hybrid Vibration-Mode Analysis of Rotating Turbine-Blade Models — E. Vogt, J. Geldmacher, B. Dirr and M. Kreitlow, 161-170 (June).
Integration of Laser-Speckle and Finite-Element Techniques of Stress Analysis — J.M. Weathers, W.A. Foster, W.F. Swinson and J.L. Turner, 60-65 (March).
Load and Stress Distribution in Screw Threads — B. Kenny and E.A. Patterson, 208-213 (Sept.).
Measurement of Apparent Young's Modulus in the Bending of Cantilever Beams by Heterodyne Holographic Interferometry — S. Kakunai, J. Masaki, R. Kuroda, K. Iwata and R. Nagata, 408-412 (Dec.).
Measurement of Residual-Stress Distribution by the Incremental Hole-Drilling Method — A. Niku-Lari, J. Lu and J.F. Flavenot, 175-185 (June).
Measuring Internal Forces of Redundant Structures — A.E. Aktan and V.V. Bertero, 367-375 (Dec.).
Microslip and Macroslip in Bolted Joints — M. Groper, 171-174 (June).
Mixed-Mode Failure of Composite Laminates with Cracks — I.M. Daniel, 413-420 (Dec.).
Moiré of Crack-Opening Interferometry in Adhesive Fracture Mechanics — K.M. Liechti, 255-261 (Sept.).
Nonlinear Creep-Recovery Response of a Polymer Matrix and its Composites — R. Mohan and D.F. Adams, 262-271 (Sept.).
Normal and Shear Stress Gages and Rosettes for Orthotropic Composites — C.W. Bert, 288-293 (Sept.).
Notch-Root Plastic Response by Temperature Measurement — E.H. Jordan, 24-31 (March).
Photoelastic Measurements by Means of Computer-Assisted Spectral Contents Analysis — A.S. Redner, 148-153 (June).
Photoelastic Stress Analysis of an Elliptical Hole in a Thick Plate Subjected to Uniform In-Plane Compressive Loading — N.A. Rubayi and A.D. Nana, 105-114 (June).
Pressure Measurements in Laser-Supported Plasmas with Piezoresistance Gages — B.S. Holmes, 32-42 (March).
Residual Stresses in Plastically Encapsulated Microelectronic Devices — K.M. Liechti, 226-231 (Sept.).
Residual Stresses in Roller-Expanded Thin Tubes — J. Druez, A. Bazergui and M.J. Pettigrew, 316-324 (Sept.).
Residual-Stress Measurements in Light Truck Wheels Using the Hole-Drilling Method, On — C.L. Chow and C.H. Cundiff, 54-59 (March).
Shear Strain Contours from Moiré Interferometry — D. Post, R. Czarnek and D. Joh, 282-287 (Sept.).
Short-Beam Shear Tests for Composite Materials, On — J.M. Whitney and C.E. Browning, 294-300 (Sept.).
Some Propositions on Caustics and an Application to the Biaxial-Fracture Problem — K. Shimizu, S. Takahashi and H. Shimada, 154-160 (June).
Stiff and Compact Impact Force Transducer Based on Strain Measurement, A — K.G. Sundin and M. Jonsson, 48-53 (March).
Strain Measurement Using Heterodyne Photogrammetry of White-Light Specklegrams — K.A. Stetson, 312-315 (Sept.).
Sweep Technique to Measure the Relative Performance of Dampers — A. Jamaleddine, 354-359 (Dec.).
Tensorial Strength Analysis of Paperboard — J.C. Suhling, R.E. Rowlands, M.W. Johnson and D.E. Gunderson, 75-84 (March).
Tests on Microconcrete Model of Hyperbolic Cooling Tower — S.E. Swartz, C.C. Chien, K.K. Hu and H. Mozaffarian, 12-23 (March).
Theory of Elastic and Photoelastic Isodynes. Samples of Applications in Composite Structures — J.T. Pindera, B.R. Krasnowski and M.-J. Pindera, 272-281 (Sept.).
Thermal Nonlinear Behavior of Sandwich Panels: Experimental Measurements — R. Hussein and P. Fazio, 140-144 (June).
Use of Crack-Tip-Opening Displacement to Predict the Fracture Strength of Notched Graphite/Epoxy Laminates, On the — C.E. Harris and D.H. Morris, 193-199 (June).

Author Index

Adams, D.F. — Nonlinear Creep-Recovery Response of a Polymer Matrix and its Composites, 262-271 (Sept.).
Aktan, A.E. — Measuring Internal Forces of Redundant Structures, 367-375 (Dec.).
Atzori, B. — Evaluation of Fatigue Strength of Welded Structures by Local Strain Measurements, 129-139 (June).
Barker, D.B. — Analysis of Dynamic Mixed-Mode Isochromatic, 344-353 (Dec.).
Determining K and Related Stress-Field Parameters from Displacement Fields, 399-407 (Dec.).
Bazergui, A. — Residual Stresses in Roller-Expanded Thin Tubes, 316-324 (Sept.).
Bennewitz, J.H. — Displacement Sensitivity in Remote-Objective-Speckle Metrology, 392-398 (Dec.).
Berghaus, D.G. — Deformation and Strain Analysis for High-Extrusion Ratios and Evaluated Temperatures, 301-307 (Sept.).
Bert, C.W. — Normal and Shear Stress Gages and Rosettes for Orthotropic Composites, 288-293 (Sept.).
Bertero, V.V. — Measuring Internal Forces of Redundant Structures, 367-375 (Dec.).
Bi, Q. — Dynamic Stress-Concentration Effects on Stress Waves in Composite Models with Different Fiber-End Geometries, 214-225 (Sept.).
Biasi, B. — Evaluation of Fatigue Strength of Welded Structures by Local Strain Measurements, 129-139 (June).
Browning, C.E. — On Short-Beam Shear Tests for Composite Materials, 294-300 (Sept.).
Cairns, D.S. — Biaxial Testing of Composite Tubes, 186-192 (June).
Chen, J.-C. — Further Study on the Use of Foil Strain Gages Under Extremely High-Pressure Water Environment, 123-128 (June).
Chen, P.C. — Application of an Advanced XRD Instrument for Surface Stress-Tensor Measurements on Steel Sheets, 245-250 (Sept.).
Chen, Y.Y. — Dynamic Stress-Concentration Effects on Stress Waves in Composite Models with Different Fiber-End Geometries, 214-225 (Sept.).
Chien, C.C. — Tests on Microconcrete Model of Hyperbolic Cooling Tower, 12-23 (March).
Chona, R. — Determining K and Related Stress-Field Parameters from Displacement Fields, 399-407 (Dec.).
Chow, C.L. — On Residual-Stress Measurements in Light Truck Wheels Using the Hole-Drilling Method, 54-59 (March).
Chu, T.C. — Applications of Digital-Image-Correlation Techniques to Experimental Mechanics, 232-244 (Sept.).
Cundiff, C.H. — On Residual-Stress Measurements in Light Truck Wheels Using the Hole-Drilling Method, 54-59 (March).
Czarnek, R. — Shear Strain Contours from Moiré Interferometry, 282-287 (Sept.).
Daniel, I.M. — Mixed-Mode Failure of Composite Laminates with Cracks, 413-420 (Dec.).
DiMascio, P.S. — Comparison of Three Residual-Stress Measurement Methods on a Mild Steel Bar, 338-343 (Dec.).
Dirr, B. — Hybrid Vibration-Mode Analysis of Rotating Turbine-Blade Models, 161-170 (June).
Druez, J. — Residual Stresses in Roller-Expanded Thin Tubes, 316-324 (Sept.).
Dudderar, T.D. — Holo-interferometric Measurement of the Thermal Deformation Response to Power Dissipation in Multilayer Printed Wiring Boards, 95-104 (March).
Displacement Sensitivity in Remote-Objective-Speckle Metrology, 392-398 (Dec.).
Fazio, P. — Thermal Nonlinear Behavior of Sandwich Panels: Experimental Measurements, 140-144 (June).
Flaman, M.T. — Determination of Residual-Stress Variation with Depth by the Hole-Drilling Method, 205-207 (Sept.).
Flavenot, J.F. — Measurement of Residual-Stress Distribution by the Incremental Hole-Drilling Method, 175-185 (June).
Foster, W.A. — Integration of Laser-Speckle and Finite-Element Techniques of Stress Analysis, 60-65 (March).
Geldmacher, J. — Hybrid Vibration-Mode Analysis of Rotating Turbine-Blade Models, 161-170 (June).
Georgiadis, H.G. — Crack Propagation in Layered Plates—An Experimental Study, 85-94 (March).
Gilbert, J.A. — Holo-interferometric Measurement of the Thermal Deformation Response to Power Dissipation in Multilayer Printed Wiring Boards, 95-104 (March).
Displacement Sensitivity in Remote-Objective-Speckle Metrology, 392-398 (Dec.).
Good, J.K. — Experimental Analysis of Displacements of Read/Write Heads Upon Floppy-Disk Media, 200-204 (June).
Groper, M. — Microslip and Macroslip in Bolted Joints, 171-174 (June).
Gunderson, D.E. — Tensorial Strength Analysis of Paperboard, 75-84 (March).
Hall, P.M. — Holo-interferometric Measurement of the Thermal Deformation Response to Power Dissipation in Multilayer Printed Wiring Boards, 95-104 (March).
Harris, C.E. — On the Use of Crack-Tip-Opening Displacement to Predict the Fracture Strength of Notched Graphite-Epoxy Laminates, 193-199 (June).
Hartley, C.S. — Analysis of Residual Stresses in Cylindrically Anisotropic Materials, 145-147 (June).
Holmes, B.S. — Pressure Measurements in Laser-Supported Plasmas with Piezoresistance Gages, 32-42 (March).
Hu, K.K. — Tests on Microconcrete Model of Hyperbolic Cooling Tower, 12-23 (March).
Hussein, R. — Thermal Nonlinear Behavior of Sandwich Panels: Experimental Measurements, 140-144 (June).
Iwata, K. — Measurement of Apparent Young's Modulus in the Bending of Cantilever Beams by Heterodyne Holographic Interferometry, 408-412 (Dec.).
Jamaleddine, A. — Sweep Technique to Measure the Relative Performance of Dampers, 354-359 (Dec.).
Joh, D. — Shear Strain Contours from Moiré Interferometry, 282-287 (Sept.).
Johnson, M.W. — Tensorial Strength Analysis of Paperboard, 75-84 (March).
Jonsson, M. — A Stiff and Compact Impact Force Transducer Based on Strain Measurement, 48-53 (March).
Jordan, E.H. — Notch-Root Plastic Response by Temperature Measurement, 24-31 (March).
Kakunai, S. — Measurement of Apparent Young's Modulus in the Bending of Cantilever Beams by Heterodyne Holographic Interferometry, 408-412 (Dec.).
Kawauchi, K. — Estimation of Thermal Stresses in the Region with an Eccentric Hole by Means of an Analogy, 251-254 (Sept.).
Kenny, B. — Load and Stress Distribution in Screw Threads, 208-213 (Sept.).
Khan, A.S. — Further Study on the Use of Foil Strain Gages Under Extremely High-Pressure Water Environment, 123-128 (June).
Kiousis, P.D. — Analysis of Residual Stresses in Cylindrically Anisotropic Materials, 145-147 (June).
Kobayashi, A.S. — Further Studies on Crack-Tip Plasticity of Rapid Tearing, 66-74 (March).
Analysis of Dynamic Mixed-Mode Isochromatics, 344-353 (Dec.).
Komine, A. — Further Studies on Crack-Tip Plasticity of Rapid Tearing, 66-74 (March).
Krasnowski, B.R. — Theory of Elastic and Photoelastic Isodynes. Samples of Applications in Composite Structures, 272-281 (Sept.).
Kreitlow, M. — Hybrid Vibration-Mode Analysis of Rotating Turbine-Blade Models, 161-170 (June).
Kuroda, R. — Measurement of Apparent Young's Modulus in the Bending of Cantilever Beams by Heterodyne Holographic Interferometry, 408-412 (Dec.).
Lee, O.S. — Further Studies on Crack-Tip Plasticity of Rapid Tearing, 66-74 (March).
Liechti, K.M. — Moiré of Crack-Opening Interferometry in Adhesive Fracture Mechanics, 255-261 (Sept.).
Residual Stresses in Plastically Encapsulated Microelectronic Devices, 226-231 (Sept.).
Livnat, A. — The Governing Equations for Moiré Interferometry and Their Identity to Equations of Geometrical Moiré, 360-366 (Dec.).
Llambias, J.M. — Buckling Behavior of an Underwater Storage Vessel, 421-428 (Dec.).
Lowery, R.L. — Experimental Analysis of Displacements of Read/Write Heads Upon Floppy-Disk Media, 200-204 (June).
Lu, J. — Measurement of Residual-Stress Distribution by the Incremental Hole-Drilling Method, 175-185 (June).
MacKenzie, P. — Dynamic Moiré Measurement of Strains Induced in a Titanium Plate During the Rolling of a Series of Tubes, 1-6 (March).
Manning, B.H. — Determination of Residual-Stress Variation with Depth by the Hole-Drilling Method, 205-207 (Sept.).
Masaki, J. — Measurement of Apparent Young's Modulus in the Bending of Cantilever Beams by Heterodyne Holographic Interferometry, 408-412 (Dec.).
Matsumoto, E. — Estimation of Thermal Stresses in the Region with an Eccentric Hole by Means of an Analogy, 251-254 (Sept.).
McDonach, A. — Dynamic Moiré Measurement of Strains Induced in a Titanium Plate During the Rolling of a Series of Tubes, 1-6 (March).
McKelvie, J. — Dynamic Moiré Measurement of Strains Induced in a Titanium Plate During the Rolling of a Series of Tubes, 1-6 (March).
Mohan, R. — Nonlinear Creep-Recovery Response of a Polymer Matrix and its Composites, 262-271 (Sept.).
Morris, D.H. — On the Use of Crack-Tip-Opening Displacement to Predict the Fracture Strength of Notched Graphite/Epoxy Laminates, 193-199 (June).
Mozaffarian, H. — Tests on Microconcrete Model of Hyperbolic Cooling Tower, 12-23 (March).
Nagata, R. — Measurement of Apparent Young's Modulus in the Bending of Cantilever Beams by Heterodyne Holographic Interferometry, 408-412 (Dec.).
Nair, S.M. — Direct Determination of Curvatures of Bent Plates Using a Double-Glass-Plate Shearing Interferometer, 376-380 (Dec.).
Nana, A.D. — Photoelastic Stress Analysis of an Elliptical Hole in a Thick Plate Subjected to Uniform In-Plane Compressive Loading, 105-114 (June).
Niku-Lari, A. — Measurement of Residual-Stress Distribution by the Incremental Hole-Drilling Method, 175-185 (June).
Obata, M. — Embedded Fine-Grid Method Applied to Three-Dimensional Stress-Intensity-Factor Analysis, 6-11 (March).
Pappalettere, C. — Evaluation of Fatigue Strength of Welded Structures by Local Strain Measurements, 129-139 (June).
Patterson, E.A. — Load and Stress Distribution in Screw Threads, 208-213 (Sept.).
Peacock, H.B. — Deformation and Strain Analysis for High-Extrusion Ratios and Evaluated Temperatures, 301-307 (Sept.).
Peters, W.H. — Applications of Digital-Image-Correlation Techniques to Experimental Mechanics, 232-244 (Sept.).

Pettigrew, M.J. — Residual Stresses in Roller-Expanded Thin Tubes, 316-324 (Sept.).
Pih, H. — Dynamic Stress-Concentration Effects on Stress Waves in Composite Models with Different Fiber-End Geometries, 214-225 (Sept.).
Pindera, J.T. — Theory of Elastic and Photoelastic Isodynes. Samples of Applications in Composite Structures, 272-281 (Sept.).
Pindera, M.-J. — Theory of Elastic and Photoelastic Isodynes. Samples of Applications in Composite Structures, 272-281 (Sept.).
Plunkett, R. — Dispersive Bending Waves in Uniform Bars, 308-311 (Sept.).
Post, D. — Shear Strain Contours from Moiré Interferometry, 282-287 (Sept.).
The Governing Equations for Moiré Interferometry and Their Identity to Equations of Geometrical Moiré, 360-366 (Dec.).
Ramulu, M. — Analysis of Dynamic Mixed-Mode Isochromatics, 344-353 (Dec.).
Ranson, W.F. — Applications of Digital-Image-Correlation Techniques to Experimental Mechanics, 232-244 (Sept.).
Rastogi, P.K. — Comparative Holographic Interferometry: A Non-destructive Inspection System for Detection of Flaws, 325-337 (Dec.).
Redner, A.S. — Photoelastic Measurements by Means of Computer-Assisted Spectral Contents Analysis, 148-153 (June).
Rowlands, R.E. — Tensorial Strength Analysis of Paperboard, 75-84 (March).
Roy, A.K. — Dispersive Bending Waves in Uniform Bars, 308-311 (Sept.).
Royles, R. — Buckling Behavior of an Underwater Storage Vessel, 421-428 (Dec.).
Rubayi, N.A. — Photoelastic Stress Analysis of an Elliptical Hole in a Thick Plate Subjected to Uniform In-Plane Compressive Loading, 105-114 (June).
Ruud, C.O. — Application of an Advanced XRD Instrument for Surface Stress-Tensor Measurements on Steel Sheets, 245-250 (Sept.).
Comparison of Three Residual-Stress Measurement Methods on a Mild Steel Bar, 338-343 (Dec.).
Rybicki, E.F. — Experimental Evaluation of Through-Thickness Stresses in a Welded Pipe Using the Consistent-Splitting Model, 115-122 (June).
Sanford, R.J. — Determining *K* and Related Stress-Field Parameters from Displacement Fields, 399-407 (Dec.).
Sekiya, T. — Estimation of Thermal Stresses in the Region with an Eccentric Hole by Means of an Analogy, 251-254 (Sept.).
Shadley, J.R. — Experimental Evaluation of Through-Thickness Stresses in a Welded Pipe Using the Consistent-Splitting Model, 115-122 (June).
Shimada, H. — Embedded Fine-Grid Method Applied to Three-Dimensional Stress-Intensity-Factor Analysis, 6-11 (March).
Some Propositions on Caustics and an Application to the Biaxial-Fracture Problem, 154-160 (June).
Shimizu, K. — Some Propositions on Caustics and an Application to the Biaxial-Fracture Problem, 154-160 (June).
Sommer, E. — Experimental Fracture Analysis, 381-391 (Dec.)..
Stetson, K.A. — Strain Measurement Using Heterodyne Photogrammetry of White-Light Specklegrams, 312-315 (Sept.).
Subramanian, G. — Direct Determination of Curvatures of Bent Plates Using a Double-Glass-Plate Shearing Interferometer, 376-380 (Dec.).
Suhling, J.C. — Tensorial Strength Analysis of Paperboard, 75-84 (March).
Sundin, K.G. — A Stiff and Compact Impact Force Transducer Based on Strain Measurement, 48-53 (March).
Sutton, M.A. — Applications of Digital-Image-Correlation Techniques to Experimental Mechanics, 232-244 (Sept.).
Swanson, S.R. — Biaxial Testing of Composite Tubes, 186-192 (June).
Swartz, S.E. — Tests on Microconcrete Model of Hyperbolic Cooling Tower, 12-23 (March).
Swinson, W.F. — Integration of Laser-Speckle and Finite-Element Techniques of Stress Analysis, 60-65 (March).
Taher, M.A. — Displacement Sensitivity in Remote-Objective-Speckle Metrology, 392-398 (Dec.).
Takahashi, S. — Some Propositions on Caustics and an Application to the Biaxial-Fracture Problem, 154-160 (June).
Theocaris, P.S. — Crack Propagation in Layered Plates—An Experimental Study, 85-94 (March).
Ticu, A.K. — A Direct Method to Evaluate Hole-Alignment Error in Residual-Stress Measurement, 43-47 (March).
Toombes, G.R. — Biaxial Testing of Composite Tubes, 186-192 (June).
Turner, J.L. — Integration of Laser-Speckle and Finite-Element Techniques of Stress Analysis, 60-65 (March).
Vickery, C.M. — Experimental Analysis of Displacements of Read/Write Heads Upon Floppy-Disk Media, 200-204 (June).
Vogt, E. — Hybrid Vibration-Mode Analysis of Rotating Turbine-Blade Models, 161-170 (June).
Voyiadjis, G.Z. — Analysis of Residual Stresses in Cylindrically Anisotropic Materials, 145-147 (June).
Walker, C.A. — Dynamic Moiré Measurement of Strains Induced in a Titanium Plate During the Rolling of a Series of Tubes, 1-6 (March).
Wang, Y.C. — Estimation of Thermal Stresses in the Region with an Eccentric Hole by Means of an Analogy, 251-254 (Sept.).
Weathers, J.M. — Integration of Laser-Speckle and Finite-Element Techniques of Stress Analysis, 60-65 (March).
Whitney, J.M. — On Short-Beam Shear Tests for Composite Materials, 294-300 (Sept.).
Yavelak, J.J. — Comparison of Three Residual-Stress Measurement Methods on a Mild Steel Bar, 338-343 (Dec.).
Ye, P. — Dynamic Stress-Concentration Effects on Stress Waves in Composite Models with Different Fiber-End Geometries, 214-225 (Sept.).

U.S. POSTAL SERVICE

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION
(Required by 39 U.S.C. 3685)

1. TITLE OF PUBLICATION	1A. PUBLICATION NO.	2. DATE OF FILING
EXPERIMENTAL MECHANICS		10/23/85
3. FREQUENCY OF ISSUE	3A. NO. OF ISSUES PUBLISHED ANNUALLY	3B. ANNUAL SUBSCRIPTION PRICE
Quarterly	4	$38.00

4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION (Street, City, County, State and ZIP Code) (Not printers)
Society For Experimental Mechanics, 14 Fairfield Dr., Brookfield Ctr., CT 06805

5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS (Not printers)
SAME AS ABOVE

6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (This item MUST NOT be blank)

PUBLISHER (Name and Complete Mailing Address)
K. A. Galione, Society for Experimental Mechanics, 14 Fairfield Dr., Brookfield Ctr., CT 06805

EDITOR (Name and Complete Mailing Address)
SAME AS ABOVE

MANAGING EDITOR (Name and Complete Mailing Address)
M. E. Yergin, Society for Experimental Mechanics, 14 Fairfield Dr., Brookfield Ctr., CT 06805

7. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed)

FULL NAME	COMPLETE MAILING ADDRESS
Society for Experimental Mechanics	14 Fairfield Dr., Brookfield Ctr., CT 06805

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)

FULL NAME	COMPLETE MAILING ADDRESS
NONE	

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 411.3, DMM only)
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes: (Check one)

(1) [X] HAS NOT CHANGED DURING PRECEDING 12 MONTHS
(2) [ ] HAS CHANGED DURING PRECEDING 12 MONTHS (If changed, publisher must submit explanation of change with this statement.)

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES (Net Press Run)	4,200	4,200
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES	-0-	-0-
2. MAIL SUBSCRIPTION	3,800	3,842
C. TOTAL PAID CIRCULATION (Sum of 10B1 and 10B2)	80	85
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	3,880	3,927
E. TOTAL DISTRIBUTION (Sum of C and D)	3,880	3,927
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	320	273
2. RETURN FROM NEWS AGENTS	-0-	-0-
G. TOTAL (Sum of E, F1 and 2 - should equal net press run shown in A)	4,200	4,200

11. I certify that the statements made by me above are correct and complete

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER
K. A. Galione

PS Form 3526, July 1981 (See instruction on reverse) (Page 1)